Zebra Zip Ship Media



Printer Media Specifications

				a Opco			
		Core Size	Max OD	Min Label Width	Max Label Width	Min Label Caliper	Max Label Caliper
	Printer	Inches	Inches	Inches	Inches	Mil*	Mil*
	\$600™	3	8	0.75	4.375	2.3	12
3.	S4M™	1/3	6/8	0.75	4.375	3	10
8	Z4MPlus™	3	8	1	4.375	2.3	10
	Z6MPlus™	3	8	2	6.875	2.3	10
d	ZM400 ™	3	8	2	4.375	2.3	10
) eto	ZM600 ™	3	8	2	6.875	2.3	10
Tabletop	105SL™	3	8	0.79	4.395	3	12
Ta	2746e™	3	8	1.12	4.375	3	10
	110XillIPlus™ / 110Xi4™	3	8	0.79	4.375	3	12
2	140XillIPlus™ / 140Xi4™	3	8	1.57	5.385	3	12
	170XillIPlus™ / 170Xi4™	3	8	2	6.975	3	12
	220XillIPlus™ / 220Xi4™	3	8	4.25	8.675	3	12
	LP/TLP 2824™ Series	1/1.5	5	1	2.235	3	7.5
	LP/TLP 2824 Plus™	1/1.5	5	1	2.360	3	7
<u>o</u>	LP/TLP 2844™ Series	1/1.5	5	1	4.125	3	7.5
sk	TLP 3842™	1	5	1	4.125	3	7.5
Des ktop	TLP 3844-Z™	1/1.5	5	1	4.125	3	7.5
	H 2824™	1/1.5	5	0.75	2.235	3	7.5
	G-Series™	1	5	0.75	4.125	3	7.5
		0.75	0.0	0.75	4.075	0	_
9	Cameo® 2	0.75	2.2	0.75	1.975	3	5
3	Cameo® 3	0.75	2.2	0.75	2.975	3	5
9	QL 220™ / QL 220 Plus™	0.75	2.2	0.63	1.890	2.5	6.5
	QL 320 Plus™ QL 420 Plus™	0.75 0.75	2.63 2.63	1.25 2	3.000 4.000	2.5 2.5	6.5 6.5
d)	RW 220™	0.75	2.03	1	2.245	2.3	6.3
Mobile	RW 420™ / RW420™ Print Station	0.75	2.25	2	4.000	2	6.3
10	P4T™	0.75	2.25	2	4.000	2	6.3
_	EM220™	0.5	1.57	2.08	2.355	2	4
	PT403™ / PA403™	1	2.1	1.12	4.125	3	12
	PS 2122™	1.5	5	1	2.235	3	7.5
2	MZ 220™	0.5/0.75	1.88	1	1.875	2	4
	MZ 320™	0.5/0.75	1.88	1	2.875	2	4
	IVIL OLO	0.070.70	1.00	·	2.070	_	,
	R110Xi™ / R110Xi HF™	3	8	0.79	4.375	3	12
	R170Xi™	3	8	2	6.975	3	12
	R110PAX3™	1	Varies	0.63	4.375	5.8	10
ξ	R110PAX4™ / 110PAX4™	3	Varies	0.63	4.375	5.8	10
<u>a</u>	R2844-Z™	1/1.5	5	1	4.125	3	7.5
Specialty	R4Mplus™	3	8	1	4.000	2.3	10
Sp	RZ 400	3	8	1	4.375	2.3	10
	RZ600	3	8	1	6.875	2.3	10
	170PAX4™	3	Varies	3	6.975	3	12
	RP4T™	1.375	2.6	2	4.000	2	6.3

Please contact your media specialist for specific questions regarding printers not listed above & check printer specifications before ordering supplies. Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series, TTP 5250 and KR403.

Kiosk printers can accommodate various roll sizes and widths depending on the configuration.

^{*1} mil = 0.001 inches



For use with Zebra Tabletop Printers*

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1	10000303*	5,500	6	26 lbs.
4	Χ	2	10003051*	2,760	4	26 lbs.
4	Х	3	10000302*	2,000	4	26 lbs.
4	Х	6	10000301*	1,000	4	26 lbs.
4	Х	6.50	10000300*	900	4	26 lbs.

^{*} Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2	Х	1	10000298*	5,500	8	26 lbs.
2.25	Х	1.25	10000297*	4,350	8	27 lbs.
3	Х	1	10000296*	5,500	6	26 lbs.
3	Х	2	10000295*	2,750	6	26 lbs.
4	Х	2	10012164	2,720	4	26 lbs.
4	Х	2.50	10000294*	2,280	4	26 lbs.
4	Х	3	10000293*	2,000	4	26 lbs.
4	Х	4	10000292*	1,500	4	26 lbs.
4	Х	6	10000290*	1,000	4	26 lbs.
4	Х	6.50	10000289*	900	4	26 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	x	L	Part #	Per Roll	Carton	Weight
2	Х	1	10000288*	5,500	10	31 lbs.
3	Х	1	10000287*	5,500	6	27 lbs.
3	Х	2	10000286*	2,750	6	27 lbs.
3	Х	5	10010242*	1,200	6	27 lbs.
3.5	Х	1	10010243*	5,470	4	27 lbs.
4	Х	1	10010244*	5,470	4	27 lbs.
4	Χ	2	10000285*	2,750	4	23 lbs.
4	Х	3	10000284*	2,000	4	27 lbs.
4	Х	4	10000283*	1,500	4	24 lbs.
4	Х	6	10000281*	1,000	4	27 lbs.
4	Х	6.50	10000280*	900	4	27 lbs.

^{*} Perforation between labels

Z-Perform 2000T Fanfolded

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

	Size			Labels	Roll/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	6	10000299*	2,000	2	13 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

	Size	Э			Labels	Rolls/	Carton
W	Х	L	Part #	Color	Per Roll	Carton	Weight
4	Х	3	10006209-1*	Yel.	1,840	4	27 lbs.
4	Х	3	10006209-3*	Pink	1,840	4	27 lbs.
4	Х	6	10006208*	Blue	1,000	4	27 lbs.
4	Х	6	10006208-1*	Yel.	1,000	4	27 lbs.
4	Х	6	10006208-2*	Grn.	1,000	4	27 lbs.
4	Х	6	10006208-4*	Org.	1,000	4	27 lbs.
4	Х	6	10006208-5*	Red	1,000	4	27 lbs.
4	Х	6	10006208-7*	Fl.Or.	1,000	4	27 lbs.
4	Х	6.5	10005725-1*	Yel.	900	4	27 lbs.

^{*} Perforation between labels Colors/PMS: Fluorescent Red/805, Fluorescent Orange/804, Fluorescent Pink/806, Blue/290, Yellow/Pantone Yellow, Green/365, Red/185, Pink/1767, Orange/021

Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1.25	67251*^	3,750	6	24 lbs.
3.25	Х	5	65156*	1,030	6	26 lbs.
6	Х	3	18504*	1,610	2	11 lbs.

All tags contain side sensing notch.
^ Contains a left-centered hole and right vertical perforation
*Perforation between tags

	Size			Tags	Rolls/	Carton
W	x	L	Part #	Per Roll	Carton	Weight
3.25	Х	7.38	67850*	860	4	25 lbs.

Fanfold and side sensing notch *Perforation between tags



For use with Zebra Tabletop Printers*

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1.50	Х	1	88686	5,120	14	29 lbs.
2	Χ	1	72275	4,620	8	22 lbs.
2.25	Х	1.25	72276	3,770	8	24 lbs.
2.25	Х	1.25	10002635*	3,770	8	16 lbs.
2.25	Χ	2.50	72277	1,980	8	24 lbs.
2.25	Х	4	72278	1,260	8	25 lbs.
3	Χ	1	74569	5,120	6	24 lbs.
3	Х	2	98958*	2,710	6	26 lbs.
3	Х	3	84086	1,840	6	27 lbs.
3.50	Х	1	75856	5,120	6	29 lbs.
4	Х	1.50	800740-155*	4,225	4	25 lbs.
4	Χ	2.50	72344	2,220	4	24 lbs.
4	Χ	3	800740-305*	2,238	4	25 lbs.
4	Х	4	82801	1,400	4	25 lbs.
4	Х	6	72345	950	4	25 lbs.
4	Х	6	98959*	940	4	23 lbs.
4	Х	6	83398**	720	6	28 lbs.
4	Х	6.50	117945	870	4	25 lbs.

^{*} Perforation between labels

^{**} Fanfold



For use with Zebra Tabletop Printers*

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. 3" ID 8" OD

	Siz	e		Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1.50	Х	1	72280	5,180	14	30 lbs.
2	Х	1	72281	5,180	10	29 lbs.
2.25	Х	0.75	800622-075*	7,995	4	14 lbs.
2.25	Х	1.25	800622-125*	5,087	4	16 lbs.
2.25	Х	1.25	72283	4,240	8	26 lbs.
2.25	Х	2	800622-205*	3,292	4	16 lbs.
2.75	Х	1.25	72282	4,240	8	31 lbs.
3	Х	1	72284	5,180	6	25 lbs.
3	Х	2	72285	2,740	6	27 lbs.
3	Х	5	72993	1,100	6	28 lbs.
3	Х	6	81397*	910	6	26 lbs.
3.25	Х	2	72974	2,700	6	30 lbs.
3.25	Х	5.50	72286	1,040	6	30 lbs.
3.25	Х	5,831	72287	Cont.	6	35 lbs.
3.50	Х	1	72288	5,180	6	28 lbs.
4	Х	1	92071*	4,970	4	23 lbs.
4	Х	1.50	800640-155*	4,225	4	26 lbs.
4	Х	2	72289	2,740	4	23 lbs.
4	Х	2.50	94681*	2,130	4	23 lbs.
4	Х	2.50	72290	2,220	4	25 lbs.
4	Х	3	72291	1,870	4	25 lbs.
4	Х	3	800640-305*	2,238	4	25 lbs.
4	Х	4	800640-405*	1,696	4	26 lbs.
4	Х	4	72292	1,410	4	23 lbs.
4	Х	5	800640-505*	1,365	4	26 lbs.
4	Χ	6	72353	950	4	26 lbs.
4	Χ	6	72295**	900	6	35 lbs.
4	Χ	6	72294*	950	4	26 lbs.
4	Х	6.50	73298*	840	4	25 lbs.
4	Х	6.50	72296	880	4	26 lbs.
4	Х	8	98963*	690	4	23 lbs.
4	Х	10	94682*	550	4	23 lbs.
4	Х	13	72297	440	4	25 lbs.
4	Х	5,592	98962	Cont.	4	23 lbs.
5	Х	2.50	72298	2,220	4	30 lbs.
5	Х	6	72301	960	4	31 lbs.
5	Χ	5,831	72300	Cont.	4	32 lbs.
6	Х	4	72354	1,410	2	18 lbs.
6	Х	4	73909*	1,360	2	17 lbs.
6	Х	8	94683*	690	2	17 lbs.
6.50	Х	4 pon labole	72302	1,410	2	18 lbs.

^{*} Perforation between labels ** Fanfold



For use with Zebra Tabletop Printers*

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	6	10005486*	1000	4	27 lbs.

^{*} Perforation between labels

Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	6	72352*	860	4	22 lbs.

Tags have side sensing notch. * Perforation between tags.

Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

Weight
31 lbs.
32 lbs.
26 lbs.
32 lbs.
35 lbs.
30 lbs.
25 lbs.
25 lbs.
25 lbs.
25 lbs.
28 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD Max

	Size			La	bels	Rolls/	Carton
W	х	L	Part #	Across	Per Roll	Carton	Weight
0.25	Х	0.25	10011965*	8	10,000	4	12 lbs.
0.25	Х	0.25	10011966*	3	10,002	4	9 lbs.
0.3125	Х	0.3125	10011967*	2	10,000	4	9 lbs.
0.375	Х	0.375	10011968*	6	11,964	4	16 lbs.
0.5	Х	0.25	10011969*	6	9,996	4	16 lbs.
0.5	Х	0.4375	10011970*	4	10,000	4	12 lbs.
0.5	Х	0.5	10011971*	4	10,000	4	12 lbs.
0.75	Х	0.25	10011972*	4	10,000	4	20 lbs.
0.75	Х	0.75	10011973*	4	10,000	4	20 lbs.
1	Х	0.25	10011974*	3	10,002	4	20 lbs.
1	Х	0.25	10011975*	1	16,456	4	9 lbs.
1	Х	0.375	10011976*	3	10,002	4	20 lbs.
1	Х	0.5	10008510*	1	9,420	4	9 lbs.
1	Х	1	10011977*	3	16,455	4	20 lbs.
1.25	Х	0.375	10011978*	1	12,342	4	20 lbs.
1.5	Х	0.25	10011979*	3	10,002	4	30 lbs.
1.5	Х	0.5	10008511*	1	9,420	4	9 lbs.
1.5	Х	1	10011981*	1	5,486	4	9 lbs.
1.75	Х	0.25	10011982*	1	16,456	4	9 lbs.
2	Х	0.25	10011983*	1	16,456	4	12 lbs.
2	Х	0.375	10011984*	2	10,000	4	30 lbs.
2	Х	0.5	10011985*	1	9,874	4	12 lbs.
2	Х	1	10008512*	1	5,570	4	12 lbs.
2.75	Х	1.25	10008513*	1	4,270	4	16 lbs.
3	Х	1	10011691*	1	5,240	4	30 lbs.
3	Х	2	10008514*	1	2,950	4	20 lbs.
3	Х	3	10008515*	1	1,880	4	20 lbs.
4	Х	2	10002634*	1	2,950	4	32 lbs.
4	Х	2.5	10008516*	1	2,240	4	32 lbs.
4	Х	4	10008517*	1	1,520	4	32 lbs.
4	Х	6	10008518*	1	960	4	32 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Siz	е		Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1.25	Х	0.25	10011692	15,710	4	29 lbs.
1.50	Х	0.50	10011693	9,420	4	32 lbs.
1.75	Х	0.75	10011694*	7,160	4	37 lbs.
2	Х	0.375	10011695	10,000	4	25 lbs.
2	Х	0.50	10011696	10,000	4	32 lbs.
2	Х	1	10011697*	5,570	4	32 lbs.
2	Х	1.25	10011698	4,270	4	32 lbs.
2	Х	4	10011699	1,570	4	32 lbs.
2.50	Х	0.50	10011700*	10,020	4	32 lbs.
2.75	Х	1.25	10011701	4,270	4	34 lbs.
3	Х	1	10011702	5,240	4	30 lbs.
3	Х	2	10011703*	2,950	4	30 lbs.
3	Х	3	10011704	1,880	4	29 lbs.
3.50	Х	1	10011705*	5,570	4	42 lbs.
4	Х	2	18951*	2,950	4	32 lbs.
4	Х	2.50	65816	2,240	4	32 lbs.
4	Х	4	94688*	1,520	4	32 lbs.
4	Х	6	66458	960	4	32 lbs.

^{*} Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
1.50	Х	0.50	10011706*	9,420	4	18 lbs.
2	Х	0.50	10011707*	10,000	4	32 lbs.
2	Х	1	10011708*	5,570	4	32 lbs.
3	Х	1	10011709*	5,240	4	30 lbs.
3	Х	3	10011710*	1,880	4	29 lbs.
4	Х	2.50	10002627*	2,240	4	32 lbs.
4	Х	6	10002628*	960	4	32 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	10008521*	4,300	4	12 lbs.
3	Х	2	10008520*	2,280	4	20 lbs.
4	Х	6	10008519*	790	4	32 lbs.

^{*} Perforation between labels

Z-Supreme 4000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
0.75	Х	0.25	10008527*	12,740	1	2 lbs.
1.25	Х	0.25	10008528*	12,740	1	2 lbs.
1.50	х	0.25	10008529*	12,740	1	2 lbs.

^{*} Perforation between labels



For use with Zebra Tabletop Printers*

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID 8" OD Max

	Size			L	abels	Rolls/	Carton
W	Х	L	Part #	Across	Per Roll	Carton	Weight
0.75	Х	0.25	10011986*	4	10,000	4	20 lbs.
1	Х	0.5	10011987*	3	10,002	4	20 lbs.
1.75	Х	0.75	10011988*	2	11,888	4	20 lbs.
2.75	Х	1.25	10011989*	1	3,923	4	20 lbs.
3	Х	1	10011990*	1	4,610	4	30 lbs.
3	Х	2	10011991*	1	2,440	4	30 lbs.
3	Х	5	10011992*	1	1,015	4	30 lbs.
3.25	Х	2	10011993*	1	2,448	4	30 lbs.
4	Х	2	10011994*	1	2,441	4	32 lbs.

^{*} Perforation between labels

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
2	Х	1	10011687*	4,680	4	22 lbs.
2.75	Χ	1.25	66884	3,970	4	34 lbs.
3	Х	1	10011688	4,350	4	32 lbs.
3	Х	2	10011689	2,230	4	30 lbs.
3.25	Х	5.50	10011690	870	4	32 lbs.
4	Х	3	10008531*	1,420	4	32 lbs.
4	Х	6	10008530*	720	4	32 lbs.
5	Х	8	18801*	650	4	27 lbs.

^{*} Perforation between labels

8000T Tuff 7.5mil Tag

Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

	Size			Tags	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1	Х	10	69531*	1,920	4	21 lbs.

^{*} Perforation between tags (4 across)



For use with Zebra Tabletop Printers*

Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID 8" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
6.625	Х	6	10004425*	660	2	20 lbs.

^{*} Perforation between labels

8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

				Labels	Rolls/
W	X	L	Part #	Per Roll	Kit
2.5	Х	0.75	10002539*	4,800	3
3.25	Х	1.125	10002540*	3,200	3

^{*}Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll



For use with Zebra Desktop Printers*

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	10010028*	2,340	6	10 lbs.
3	Х	2	10010029*	1,240	6	11 lbs.
3	Х	3	10010030*	840	6	11 lbs.
4	Х	2	10010031*	1,240	6	12 lbs.
4	Х	2	10012163	1,240	6	12 lbs.
4	Х	3	10010032*	840	6	12 lbs.
4	Х	4	10010033*	640	6	12 lbs.
4	X	6	10010034*	430	6	12 lbs.

^{*} Perforation between labels

Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

	Size				Labels	Rolls/	Carton
W	X	L	Part #	Color	Per Roll	Carton	Weight
4	Х	6	10010035*	Yel.	430	6	12 lbs.
4	Х	6	10010035-1*	Grn.	430	6	12 lbs.
4	Х	6	10010035-2*	Org.	430	6	12 lbs.
4	Х	6	10010035-3*	Red	430	6	12 lbs.

^{*} Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

	Size			Labels	Rolls/	Carton		
W	X	L	Part #	Per Roll	Carton	Weight		
2	Х	1	10005850*	2,490	6	6 lbs.		
4	Х	2	10005851*	1,320	6	15 lbs.		
4	Х	3	10005852*	890	6	15 lbs.		
4	Х	6	10005853*	460	6	15 lbs.		
* D (() 1 1 1								

Perforation between labels



For use with Zebra Desktop Printers*

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

Size			Labels	Rolls/	Carton
Х	L	Part #	Per Roll	Carton	Weight
Х	3	10010036*	840	6	6 lbs.
Х	0.85	10010037*	2,710	6	6 lbs.
Х	1	10010038*	2,340	6	6 lbs.
Х	1	10010039*	2,340	4	6 lbs.
Х	0.50	10010040*	4,200	4	6 lbs.
Х	0.75	800262-075*	3,315	12	20 lbs.
Х	1.25	800262-125*	2,100	12	20 lbs.
Х	2	800262-205*	1,370	12	20 lbs.
Х	2.50	10010041*	1,000	4	6 lbs.
Х	3	10010042*	840	6	10 lbs.
Х	4	800262-405*	700	12	20 lbs.
Х	1	10010043*	2,340	6	11 lbs.
Х	2	10010044*	1,240	6	11 lbs.
Χ	1	10010045*	2,340	6	12 lbs.
Χ	1.25	800264-125*	2,100	12	28 lbs.
Χ	1.50	10010046*	1,620	6	12 lbs.
Χ	2	10010047*	1,240	6	12 lbs.
Χ	2.50	10010048*	1,000	6	12 lbs.
Х	3	800264-305*	930	12	30 lbs.
Х	4	800264-405*	700	12	30 lbs.
Х	5	800264-505*	565	12	30 lbs.
Х	6	10010049	475	6	15 lbs.
Х	6	800264-605*	475	12	30 lbs.
	x x x x x x x x x x x x x x x x x x x	x	X 3 10010036* X 0.85 10010037* X 1 10010038* X 1 10010039* X 0.50 10010040* X 0.75 800262-075* X 1.25 800262-125* X 2 800262-205* X 2.50 10010041* X 3 10010042* X 4 800262-405* X 1 10010043* X 2 10010044* X 1 10010045* X 1.50 10010046* X 2 10010047* X 2.50 10010048* X 3 800264-305* X 4 800264-305* X 4 800264-505* X 6 800264-605*	x L Part # Per Roll x 3 10010036* 840 x 0.85 10010037* 2,710 x 1 10010038* 2,340 x 1 10010039* 2,340 x 0.50 10010040* 4,200 x 0.75 800262-075* 3,315 x 1.25 800262-125* 2,100 x 2 800262-205* 1,370 x 2.50 10010041* 1,000 x 3 10010042* 840 x 4 800262-405* 700 x 1 10010043* 2,340 x 2 10010044* 1,240 x 1 10010045* 2,340 x 1.50 10010046* 1,620 x 2 10010047* 1,240 x 2 10010047* 1,240 x 2 10010048* 1,000	X L Part# Per Roll Carton X 3 10010036* 840 6 X 0.85 10010037* 2,710 6 X 1 10010038* 2,340 6 X 1 10010039* 2,340 4 X 0.50 10010040* 4,200 4 X 0.75 800262-075* 3,315 12 X 1.25 800262-125* 2,100 12 X 2 800262-205* 1,370 12 X 3 10010041* 1,000 4 X 3 10010042* 840 6 X 4 800262-405* 700 12 X 1 10010043* 2,340 6

^{*} Perforation between labels

	Siz	е		Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.3	8 x	1	10010050*	2,340	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels

	Size			Labels	Rolls	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
2.25	Х	1.25	10010051*	1,910	6	10 lbs.

Labels have a center vertical slit creating two 1.125" x 1.25" labels. * Perforation between labels

Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

П	Size				Labels	Rolls/	Carton
	W	х	L	Part #	Per Roll	Carton	Weight
	2.375	Х	1	10010052*	2,260	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels



For use with Zebra Desktop Printers*

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

(Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
1.188	Χ	0.84	10009522*	3,000	6	6 lbs.
1.25	Х	1	10009523*	2,580	6	10 lbs.
1.5	Х	1	83258*	2,260	8	8 lbs.
2	Х	1	83259*	2,260	8	8 lbs.
2.25	Х	0.75	10009524*	3,320	6	10 lbs.
2.25	Х	1.25	800272-125*	2,100	12	20 lbs.
2.25	Х	2	10009525*	1370	6	11 lbs.
2.25	Х	3	10009526*	930	6	12 lbs.
2.25	Х	4	10009527*	700	6	13 lbs.
2.75	Х	1.25	83260*	1,850	4	7 lbs
3	Х	1	10009528*	2,580	6	8 lbs.
3	Х	2	10009529*	1,370	6	15 lbs.
4	Х	1	83340*	2,260	4	8 lbs.
4	Х	1.50	800274-155*	1,790	12	30 lbs.
4	Х	2	10009530*	1,370	6	15 lbs.
4	Х	3	800274-305*	930	12	30 lbs.
4	Х	3	83262	810	4	9 lbs.
4	Х	4	800274-405*	700	12	30 lbs.
4	Х	5	10009531*	570	6	15 lbs.
4	Х	6	82868	420	4	15 lbs.
4	Х	6	800274-605*	475	12	30 lbs.
4	Х	6.50	83257*	380	4	15 lbs.

^{*} Perforation between labels

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.38	Х	1	10005848*	2.580	6	5 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels.

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

Size		Labels	Rolls/	Carton
W x	L Part #	Per Roll	Carton	Weight
4 x	6 10005849*	430	6	15 lbs.

^{*} Perforation between labels

^{*} Perforation between labels



For use with Zebra Desktop Printers*

Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

1" ID 5" OD

	Siz	e		Tags	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
1.25	Х	2.25	10010053*^	980	6	4 lbs.
2.25	Х	1.37	10010054*^	1,600	6	6 lbs.
3.25	Х	1.875	10010055*	1,170	6	8 lbs.
4	Χ	3	10010056*	730	4	10 lbs.

All tags have a sensing notch ^ Stringhole in tag * Perforation between labels



For use with Zebra Desktop Printers*

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	0.50	18943*	4,550	8	20 lbs.
2	Х	1	17157*	2,530	12	20 lbs.
2	Х	1.25	18940*	2,070	8	12 lbs.
3	Х	1	18939*	2,530	8	12 lbs.
3	Х	3	18942*	910	8	13 lbs.
4	Х	2	18950*	1,340	4	15 lbs.
4	Х	6	18941*	460	4	15 lbs.

^{*} Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

		Size			Labels	Rolls/	Carton
	W	X	L	Part #	Per Roll	Carton	Weight
	2	Х	1	10002629*	2,530	8	20 lbs.
	3	Х	1	10002630*	2530	6	12 lbs.
	4	Х	2	10002631*	1340	4	15 lbs.
100		W W N					

^{*} Perforation between labels



For use with Zebra Desktop Printers*

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
1.50	Х	0.50	18930*	3,780	8	12 lbs.
2	Х	0.50	18928*	3,780	8	12 lbs.
2	Х	1	17154*	2,100	8	12 lbs.
2	Х	1.25	18925*	1,720	8	12 lbs.
3	Х	1	18924*	2,100	8	12 lbs.
3	Х	3	18927*	760	8	13 lbs.
4	Х	2	18932*	1,110	4	13 lbs.
4	Х	2.50	18929*	900	4	13 lbs.
4	Х	6	18926*	390	4	13 lbs.

^{*} Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

Siz	ze		Labels	Rolls/	Carton
W x	(L	Part #	Per Roll	Carton	Weight
2.25 x	1.25	10010063*	2,000	6	11 lbs.

^{*} Perforation between labels

PolyPro 4000D

Jewelry Butterfly Label

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010062^	4,400	6	11 lbs.

[^] Label has flaps



For use with Zebra Desktop Printers*

8000D Jewelry

Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010064	3,510	6	11 lbs.
2.20	Х	0.50	10010065^	3,510	6	12 lbs.

Labels are equipped with black mark sensing

8000T Jewelry

Jewelry Butterfly Label

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.20	Х	0.50	10010066	3,510	6	12 lbs.
2.20	Х	0.50	10010067^	3,510	6	12 lbs.

Labels are equipped with black mark sensing

8000D Near-IR

Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	2.25	10010059*	1,060	4	10 lbs.
4	Х	6	10010060*	410	4	10 lbs.
4	Х	8	10010061*	310	4	10 lbs.

^{*} Perforation between labels

[^] Label with flaps

[^] Label with flaps



For use with Zebra Desktop Printers*

8000T Cling Clear

A thermal transfer, ding vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10003864*	1,410	8	10 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

8000T Cling White

A thermal transfer, ding vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10003860*	1,410	8	10 lbs.

^{*} Perforation between labels



For use with the following Zebra printers: QL and QL Plus series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2.90	Х	1	LD-R3TU5B^^	575	36	14 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent acrylic adhesive.

0.75" ID 2.2" OD

	Size				Rolls/	Carton
W	X	L	Part #	Length	Carton	Weight
2	Х	Cont.	LD-R2LS5W	65'	36	16 lbs.

1.375" ID 2.5" OD

0.5" ID 2.5" OD

	Size				Rolls/	Carton
W	х	L	Part #	Length	Carton	Weight
4	Х	Cont.	LD-R4LF5P	85'	20	23 lbs.

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: QL, QL Plus and RW series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	LD-R7MU5P^^	350	36	7 lbs.

^{^^} Labels are equipped with black mark sensing

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	LD-R7BL5B^^	350	36	7 lbs.

^{^^} Labels are equipped with black mark sensing

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: P4T, QL, QL Plus, and RW series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

	Size	Э		Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	LD-R2AL5B^^	280	36	7 lbs.
2	Х	2	LD-R7AO5B^^	185	36	7 lbs.
2	Х	3	LD-R7AM5R^^	125	36	8 lbs.

^{^^} Labels are equipped with black mark sensing

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

0.75" ID 2.2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	X	2	10001962*	210	36	18 lbs.

^{*} Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	LD-R2BF5W^^	280	36	8 lbs.

^{^^} Labels are equipped with black mark sensing

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the following Zebra printers: P4T, QL and QL Plus series**

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	2	LD-R2AQ5J*^^	300	36	23 lbs.
4	Х	3	LD-R6AO5B*^^	200	36	23 lbs.
4	Х	4	LD-R3AK5B*^^	160	36	24 lbs.
4	Х	6	LD-R4AW5B*^^	105	36	24 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
2.94	Х	4.94	LD-R6AD5W^^	130	36	18 lbs.
3	Х	1.75	LD-R3AT5F*^^	350	36	18 lbs.

^{^^} Labels are equipped with black mark sensing * Perforation between labels

^{**} Please note, these medias are listed by series. Make sure your printer model supports the print width indicated. (ie. RW 220 supports 2-inch media)



For use with the Zebra P4T printer

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
4	Х	6	10008549^^	110	16	17 lbs.

^{^^} Labels are equipped with black mark sensing

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

	Size			Labels	Rolls/	Carton
W	Х	L	Part #	Per Roll	Carton	Weight
4	Х	6	10008424	80	36	36 lbs.

^{^^} Labels are equipped with black mark sensing

Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1.25	10010073^^	520	12	12 lbs.
3	Х	3	10008551^^	230	12	16 lbs.

^{^^} Labels are equipped with black mark sensing



For use with the Zebra PA/PT printer

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	Χ	L	Part #	Per Roll	Carton	Weight
2.25	Х	1.25	800322-125*	260	12	2 lbs.
4	Х	3	800340-305*	110	12	4 lbs.

^{*} Perforation between labels

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
3	Х	1	84932	270	6	2 lbs.

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

1" ID 2" OD

	Size			Labels	Rolls/	Carton
W	X	L	Part #	Per Roll	Carton	Weight
2	Х	1	82414	260	12	3 lbs.
3	Х	3	82413	90	12	5 lbs.